

AMMONIUM CHLORIDE

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Identification	
Product grade	: Technical
Substance name	: Ammonium Chloride
CAS #	: 12125-02-9
Formula	: NH4CI
Synonyms	: amchlor / amchloride / ammonii chloridum / ammonium muriate / muriate of ammonia / sal ammoniac / salmiac
1.2. Recommended use and restrictions	on use
Use of the substance/mixture	: - Metal Galvanizing - Fertilizer - Textile dyeing - Chemical raw material - Explosive: additive

- Mining

1.3. Address	Supplier	:	Novichem Co. 30 Magnolia Str, Qaem Maqam Farahani Ave. Tehran15886/13941 IRAN

1.4. Emergency telephone number

Emergency number

: +98-21-88329799 (Product information)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (oral) Category 4 H302 Harmful if swallowed Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H302 - Harmful if swallowed
Precautionary statements (GHS US)	 P264 - Wash exposed skin thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330 - If swallowed, rinse mouth P501 - Dispose of contents/container to comply with local, state and federal regulations.
2.3. Other hazards which do not rea	sult in classification

Other hazards not contributing to the : None.

Other hazards not contributing to the : N classification



3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

: Mono-constituent

Name		Product identifier	%	GHS US classification
Ammonium Chloride (Main constituent)		(CAS-No.) 12125-02-9	100	Acute Tox. 4 (Oral), H302
Full text of hazard classes and H-statements : se	e section 16			

3.2. Mixtures

Not applicable		
4. FIRST AID MEASURES		
4.1. Description of first aid measures		
First-aid measures general	:	Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with labored breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
First-aid measures after inhalation	:	Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	:	Rinse with water. Soap may be used. Do not apply (chemical) neutralizing agents without medical advice. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	:	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Do not apply (chemical) neutralizing agents without medical advice. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	:	Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Do not apply (chemical) neutralizing agents without medical advice. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell Ingestion of large quantities: immediately to hospital.
4.2. Most important symptoms and eff	fects	(acute and delayed)
Potential Adverse human health effects and symptoms	:	Harmful if swallowed. Not irritant to skin. Practically non-toxic in contact with skin (LD50 skin > 2000 mg/kg). Causes serious eye irritation.
Symptoms/effects after inhalation	:	AFTER INHALATION OF DUST: Coughing. AFTER INHALATION OF FUME: Respiratory difficulties.
Symptoms/effects after skin contact	:	Red skin.
Symptoms/effects after eye contact	:	Redness of the eye tissue. Irritation of the eye tissue.
Symptoms/effects after ingestion	:	AFTER ABSORPTION OF LARGE QUANTITIES: Change in the blood composition. Headache Nausea. Vomiting. Mental confusion.
Symptoms/effects upon intravenous administration	:	No effects known.
Chronic symptoms	:	Skin rash/inflammation. Red skin. Dry skin. Itching. AFTER INHALATION OF FUME: Respiratory difficulties.

4.3. Immediate medical attention and special treatment, if necessary

Obtain medical assistance. Treat symptomatically.

5. FIREFIGHTING MEASURES

5.1. Suitable (and unsuitable) extingu	ishing media
Suitable extinguishing media	: Adapt extinguishing media to the environment for surrounding fires.
5.2. Specific hazards arising from the	chemical
Fire hazard	: DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Reactions involving a fire hazard: see "Reactivity Hazard".
Explosion hazard	: INDIRECT EXPLOSION HAZARD. Reactions with explosion hazards: see "Reactivity Hazard".
5.3. Special protective equipment and	I precautions for fire-fighters
Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.
Firefighting instructions	: Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water.
Protection during firefighting	: Heat/fire exposure: compressed air apparatus (EN 136 + EN 137).



6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1.	For non-emergency personnel		
Protecti	ve equipment	:	Gloves (EN 374). Safety glasses (EN166). Protective clothing (EN 14605 or EN 13034). Dust cloud production: compressed air apparatus (EN 136 + EN 137). Reactivity hazard: compressed air apparatus (EN 136 + EN 137). Reactivity hazard: gas-tight suit (EN 943).
Emerge	ncy procedures	:	Mark the danger area. Prevent dust cloud formation, e.g. by wetting. No naked flames. Wash contaminated clothes. In case of hazardous reactions: keep upwind. In case of reactivity hazard: consider evacuation.
Measur	es in case of dust release	:	In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows.
6.1.2.	For emergency responders		
Protecti	ve equipment	:	Equip cleanup crew with proper protection.
6.2.	Environmental precautions		
Prevent	entry to sewers and public waters.		
6.3.	Methods and material for containr	ment	and cleaning up
For con	tainment	:	Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. Knock down/dilute dust cloud with water spray. If reacting: dilute toxic gas/vapour with water spray. Take account of toxic/corrosive precipitation water.
Method	s for cleaning up	:	Stop dust cloud by humidifying. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.
6.4.	Reference to other sections		
No add	tional information available		

7. HANDLING AND STORAGE 7.1. Precautions for safe handling Precautions for safe handling : Avoid raising dust. Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Comply with the legal requirements. Clean contaminated clothing. Thoroughly clean/dry the installation before use. Keep container tightly closed. Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 7.2. Conditions for safe storage, including any incompatibilities **Technical measures** : Comply with applicable regulations. Storage conditions : Keep container tightly closed. Incompatible products : silver nitrate. Strong oxidizers. Heat-ignition : KEEP SUBSTANCE AWAY FROM: heat sources. KEEP SUBSTANCE AWAY FROM: oxidizing agents. strong acids. (strong) bases. metals. Prohibitions on mixed storage halogens. water/moisture. Storage area Store in a cool area. Store in a dry area. Keep container in a well-ventilated place. Keep out of direct sunlight. Meet the legal requirements. SPECIAL REQUIREMENTS: closing. watertight. dry. clean. correctly labelled. meet the legal Special rules on packaging requirements. Secure fragile packagings in solid containers. Packaging materials : MATERIAL TO AVOID: carbon steel. copper. aluminium.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ammonium Chloride (12125-	·02-9)	
ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³
ACGIH	ACGIH STEL (mg/m ³)	20 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m³
NIOSH	NIOSH REL (STEL) (mg/m ³)	20 mg/m³

Novichem Your Chemical Partner

Material Safety Data Sheet

8.2. Appropriate engineering controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses. Dust production: dust mask with filter type P2.

Materials for protective clothing:

GIVE GOOD RESISTANCE: butyl rubber. neoprene. PVC

Hand protection:

Gloves

Eye protection:

Safety glasses (EN166). In case of dust production: protective goggles (EN 166)

Skin and body protection:

Protective clothing (EN 14605 or EN 13034)

Respiratory protection:

Dust production: dust mask with filter type P2

Personal protective equipment symbol(s):



Thermal hazard protection:

None necessary.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: Crystalline solid. Crystalline powder.Color: Colourless to whiteOdor: OdorlessOdor threshold: No data availablepH: 5 (10 %)Melting point: No tapplicable (decomposes)Freezing point: No data availableBoiling point: No data availableBoiling point: No data availableBoiling point: No tapplicable (decomposes)Freezing point: No tapplicable (decomposes)Flash point: No data availableBoling point: No data availableFlash point: No data availableVapor pressure: No data availableVapor pressure: No data availableVapor pressure: 1.53 (25 °C)Specific gravity / density: 1530 kg/m³ (25 °C)Molecular mass: 5 3.49 g/molSoluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: 4.37 (Estimated value)Auto-ignition temperature: 4.00 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Physical state	: Solid
Color: Colourless to whiteOdor: OdorlessOdor threshold: No data availablepH: 5 (10 %)Melting point: Not applicable (decomposes)Freezing point: Not applicable (decomposes)Boiling point: Not applicable (decomposes)Flash point: Not applicable (decomposes)Flash point: Not applicable (decomposes)Flash point: Not applicable (solid)Relative evaporation rate (butyl acetate=1): No data availableFlammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative vapor density at 20 °C: 1.8Relative density: 1.53 (25 °C)Specific gravity / density: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: 4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Appearance	: Crystalline solid. Crystalline powder.
Odor: OdorlessOdor threshold: No data availablepH: 5 (10 %)Melting point: Not applicable (decomposes)Freezing point: No data availableBoiling point: Not applicable (decomposes)Flash point: Not applicable (decomposes)Flash point: Not applicable (solid)Relative evaporation rate (butyl acetate=1): No data availableFlammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative density: Not applicable (solid)Relative density: 1.53 (25 °C)Specific gravity / density: 53.49 g/molSolubility: Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: 4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Color	: Colourless to white
Odor threshold: No data availablepH: 5 (10 %)Melting point: Not applicable (decomposes)Freezing point: No data availableBoiling point: Not applicable (decomposes)Flash point: Not applicable (decomposes)Flash point: Not applicable (solid)Relative evaporation rate (butyl acetate=1): No data availableFlammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative vapor density at 20 °C: 1.8Relative density: 1.53 (25 °C)Molecular mass: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Odor	: Odorless
pH: 5 (10 %)Melting point: Not applicable (decomposes)Freezing point: No data availableBoiling point: Not applicable (decomposes)Flash point: Not applicable (decomposes)Flash point: Not applicable (solid)Relative evaporation rate (butyl acetate=1): No data availableFlammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative vapor density at 20 °C: 1.8Relative density: 1.53 (25 °C)Specific gravity / density: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Odor threshold	: No data available
Melting point: Not applicable (decomposes)Freezing point: No data availableBoiling point: Not applicable (decomposes)Flash point: Not applicable (solid)Relative evaporation rate (butyl acetate=1): No data availableFlammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative density at 20 °C: 1.8Relative density / density: 1530 kg/m³ (25 °C)Specific gravity / density: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	рН	: 5 (10 %)
Freezing point: No data availableBoiling point: Not applicable (decomposes)Flash point: Not applicable (solid)Relative evaporation rate (butyl acetate=1): No data availableFlammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative vapor density at 20 °C: Not applicable (solid)Relative density: 1.53 (25 °C)Specific gravity / density: 1530 kg/m³ (25 °C)Molecular mass: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Melting point	: Not applicable (decomposes)
Boiling point: Not applicable (decomposes)Flash point: Not applicable (solid)Relative evaporation rate (butyl acetate=1): No data availableFlammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative vapor density at 20 °C: 1.8Relative density: 1.53 (25 °C)Specific gravity / density: 1530 kg/m³ (25 °C)Molecular mass: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: 4.00 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Freezing point	: No data available
Flash point: Not applicable (solid)Relative evaporation rate (butyl acetate=1): No data availableFlammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative vapor density at 20 °C: 1.8Relative density: 1.53 (25 °C)Specific gravity / density: 1530 kg/m³ (25 °C)Molecular mass: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Boiling point	: Not applicable (decomposes)
Relative evaporation rate (butyl acetate=1): No data availableFlammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative vapor density at 20 °C: 1.8Relative density: 1.53 (25 °C)Specific gravity / density: 1530 kg/m³ (25 °C)Molecular mass: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Flash point	: Not applicable (solid)
Flammability (solid, gas): No data availableVapor pressure: Not applicable (solid)Relative vapor density at 20 °C: 1.8Relative density: 1.53 (25 °C)Specific gravity / density: 1530 kg/m³ (25 °C)Molecular mass: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Relative evaporation rate (butyl acetate=1)	: No data available
Vapor pressure: Not applicable (solid)Relative vapor density at 20 °C: 1.8Relative density: 1.53 (25 °C)Specific gravity / density: 1530 kg/m³ (25 °C)Molecular mass: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Flammability (solid, gas)	: No data available
Relative vapor density at 20 °C: 1.8Relative density: 1.53 (25 °C)Specific gravity / density: 1530 kg/m³ (25 °C)Molecular mass: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Vapor pressure	: Not applicable (solid)
Relative density: 1.53 (25 °C)Specific gravity / density: 1530 kg/m³ (25 °C)Molecular mass: 53.49 g/molSolubility: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100mlLog Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Relative vapor density at 20 °C	: 1.8
Specific gravity / density : 1530 kg/m³ (25 °C) Molecular mass : 53.49 g/mol Solubility : Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100ml Log Pow : -4.37 (Estimated value) Auto-ignition temperature : > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Relative density	: 1.53 (25 °C)
Molecular mass : 53.49 g/mol Solubility : Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100ml Log Pow : -4.37 (Estimated value) Auto-ignition temperature : > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Specific gravity / density	: 1530 kg/m³ (25 °C)
Solubility : Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100ml Log Pow : -4.37 (Estimated value) Auto-ignition temperature : > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Molecular mass	: 53.49 g/mol
Log Pow: -4.37 (Estimated value)Auto-ignition temperature: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Solubility	: Soluble in water. Soluble in methanol. Soluble in ammonia. Soluble in glycerol. Water: 37.2 g/100ml (20 °C) Ethanol: 2 g/100ml
Auto-ignition temperature : > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)	Log Pow	: -4.37 (Estimated value)
	Auto-ignition temperature	: > 400 °C (EU Method A.16: Relative Self-Ignition Temperature for Solids)



Decomposition temperature	: 338 °C
Viscosity, kinematic	: No data available
Viscosity, dynamic	: Not applicable (solid)
Explosion limits	: No data available
Explosive properties	: No data available.
Oxidizing properties	: No data available.
9.2. Other information	
Sublimation point	: 338 °C
VOC content	: Not applicable (inorganic)
Other properties	: Hygroscopic. May sublimate. Substance has acid reaction.

10. STABILITY AND REACTIVITY

10.1. Reactivity

Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion. Reacts violently with (some) halogens compounds: (increased) risk of fire/explosion.

10.2. Chemical stability

Hygroscopic.

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

10.4. Conditions to avoid

Air contact. Direct sunlight. High temperature. Incompatible materials.

10.5. Incompatible materials

Oxidizing agent. Strong acids. silver nitrate. Strong reducing agents.

10.6. Hazardous decomposition products

Gaseous ammonia.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Ammonium Chloride (12125-02-9)	
LD50 oral rat	1410 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (EU Method B.3: Acute toxicity (dermal), 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 3.6 mg/l (4 h, Rat, Read-across, Inhalation)
ATE US (oral)	1410 mg/kg body weight
Skin corrosion/irritation	: Not classified
	pH: 5 (10 %)
Serious eye damage/irritation	: Not classified
	pH: 5 (10 %)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Likely routes of exposure	: Inhalation. Skin and eye contact.



Potential Adverse human health effects and symptoms	:	Harmful if swallowed. Not irritant to skin. Practically non-toxic in contact with skin (LD50 skin > 2000 mg/kg). Causes serious eye irritation.
Symptoms/effects after inhalation	:	AFTER INHALATION OF DUST: Coughing. AFTER INHALATION OF FUME: Respiratory difficulties.
Symptoms/effects after skin contact	:	Red skin.
Symptoms/effects after eye contact	:	Redness of the eye tissue. Irritation of the eye tissue.
Symptoms/effects after ingestion	:	AFTER ABSORPTION OF LARGE QUANTITIES: Change in the blood composition. Headache. Nausea. Vomiting. Mental confusion.
Symptoms/effects upon intravenous administration	:	No effects known.
Chronic symptoms	:	Skin rash/inflammation. Red skin. Dry skin. Itching. AFTER INHALATION OF FUME: Respiratory difficulties.

12. ECOLOGICAL INFORMATION

12.1. Toxicity	
Ecology - general :	Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.
Ecology - air :	Not included in the list of substances which may contribute to the greenhouse effect (IPCC). Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014). Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water :	Slightly harmful to crustacea. Slightly harmful to fishes. In appropriate low concentrations inhibition of the degradation of activated sludge is not anticipated. Not harmful to algae.
Ammonium Chloride (12125-02-9)	
LC50 fish 1	209 mg/l (APHA, 96 h, Cyprinus carpio, Semi-static system, Experimental value)
EC50 Daphnia 1	101 mg/l (ASTM E729-80, 48 h, Daphnia magna, Static system, Fresh water, Experimental value Lethal)

12.2. Persistence and degradability

Ammonium Chloride (12125-02-9)			
Persistence and degradability	Biodegradability: not applicable.		
12.3. Bioaccumulative potential			
Ammonium Chloride (12125-02-9)			
Log Pow	-4.37 (Estimated value)		
Bioaccumulative potential	Not bioaccumulative.		
12.4. Mobility in soil			
Ammonium Chloride (12125-02-9)			
Surface tension	No data available in the literature		

No (test)data on mobility of the substance available.

12.5. Other adverse effects

Ecology - soil

No additional information available

13. DISPOSAL CONSIDERATIONS

13.1. Disposal methods

Waste disposal recommendations	:	Do not discharge into drains or the environment. Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals.
Additional information	:	Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.



14. TRANSPORT INFORMATION

Department of Transportation (DOT)

In accordance with DOT Not regulated **Transport by sea** Not regulated **Air transport** Not regulated

15. REGULATORY INFORMATION

15.1. US Federal regulations

Ammonium Chloride (12125-02-9)						
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313						
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb					
SARA Section 311/312 Hazard Classes	Health hazard - Acute toxicity (any route of exposure)					

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

16. OTHER INFORMATION

Information contained herein is provided in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.